

Lathe machine DMG MORI NT4300 DCG / 1500 SZ

CNC Milling / Turningcenter

Machine type: Mori Seiki NT 4300 DCG 1500 SZ

Control: Fanuc F31iA5

Year: 2017

Id 15074



Specifications

Max. turning length: [mm]	1.498
Turningdiameter: [mm]	660 / 350
Max. swing over bed: [mm]	730
Spindle nose:	A2-8
C-Axis	0,001°
Main Spindle	
Spindle speeds: [rpm]	3.000
Spindle power: [kW]	30 / 25
3-jaw chuck [mm]	KITAGAWA B-212A821F
Bar capacity: [mm]	90

Subspindle

Spindle speeds: [rpm]	3.000
3-jaw chuck [mm]	KITAGAWA 8212A821F

CNC-Spindle tilting for cutting and turning operations

B-Axes	0,0001°
Spindle speeds: [rpm]	12.000
Spindle power: [kW]	11

Toolchanger

Equipment

Chip conveyor	
cooling system	Knall KF600/2850
Internal cooling: [bar]	70
Cooling tank: [l]	600
Caliper	OMP 60
Automatic doors	
Interface	Roboter

Tool: Capto C6

Tool capacity: 100

Lower revolver




Tool capacity: 10

Driven Tools 10

revolution driven tools 6.000

drive power driven tools [kW]: 5,5

Images



CONTACT US Tel: +49 (0) 611 5101990 E-Mail: info@stenzel.de